UNCLASSIFIED

A T	7 T	T T .		
Λ Γ			ИB	' H V
ハリ	1 1	UI	VIII	

AD800619

LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited. Document partially illegible.

FROM:

Distribution authorized to U.S. Gov't. agencies and their contractors;

Administrative/Operational Use; NOV 1964. Other requests shall be referred to Army Electronics Laboratory, Fort Monmouth, NJ. Document partially illegible.

AUTHORITY

ecom, usa ltr, 29 nov 1971

AB 800 619



Ionospheric Data Report - April 1964

IONOSPHERIC DATA: BANGKOK, THAILAND

Compiled by: VICHAI T. NIMIT

Prepared for:


U.S. ARMY ELECTRONICS LABORATORIES FORT MONMOUTH, NEW JERSEY

CONTRACT DA-36-039-MC-00040(E) ORDER NO. 5384-PM-63-91



STANFORD RESEARCH INSTITUTE

MENLO PARK, CALIFORNIA



STANFORD RESEARCH INSTITUTE

MENLO PARK, CALIFORNIA






(D) 21 p.

6 IONOSPHERIC DATA: BANGKOK, THAILAND.

Prepared for:

U.S. ARMY ELECTRONICS LABORATORIES FORT MONMOUTH, NEW JERSEY

CONTRACT DA-36-039-AMC-00040(E), ARPA ORDER 10: 5384-91 071 PR&C MO. 64-ELN/D-6034 Crder-371 ARPA ORDER NO. 371



SPONSORED BY THE ADVANCED RESEARCH PROJECTS AGENCY FOR THE THAI-U.S. MILITARY RESEARCH AND DEVELOPMENT CENTER SUPREME COMMAND HEADQUARTERS BANGKOK, THAILAND

(332500)

Copy No.



BEST AVAILABLE COPY

CONTENTS

\mathbf{II}	TERMIN	OL	OG	Y	A	N	D	S	Y	M.	BO	ΙC	S																					9
	A. Ter	min	olo	og	у															•		•			•		•	•	•	•	•	•		5
	B. Des	crip	tiv	_{re}	L	et	tε	er	S																							•	•	4
	C. Qua	llifyi	ing	I	_e	tte	er	S																									•	4
	D. Des	crip	tic	n	0	f S	Sta	an	da	ar	d	T	yp	es	O	f	E																	5
III	IONOSP	HER	IC	Ε)A	T	A																											7
	f min																																	7
	foF2																																	8
	M(3000)	\mathbf{F}_{2}													•	•	•		•	•	ŧ	•	•	•	•	•	•	•	•	•	•	•	•	9
	h' F2														•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	10
	h'F	• "															•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	11
	f o Ft																		•	•	•	•	•		•	•	•	•	•	•	•	•	•	12
	M(3000)	F1																															•	13
	$f_o E$																																•	14
	h' E																																•	15
	fb Es																																	16
	$f_o E_s$																																	17
	h' Es																																	18
	Types of																																	19
	Median '	Valu																																20
																																	•	
									Ι	L	LĮ	JS	T	RA	lΤ	'IC	ΟN	S																

I INTRODUCTION

Ionospheric observations are being carried out at the Laboratory of the Military Research and Development Center at Bangkok, Thailand, a joint United States-Thailand organization. A Model C-2 vertical-incidence sounder supplied and operated by the United States Army Radio Propagation Agency has been installed there. Table I gives pertinent information about the site.

Table I

VERTICAL-INCIDENCE SOUNDER SITE

AT BANGKOK, THAILAND

Geog	graphic	Geoma	ngnetic
Latitude	Longitude	Latitude	Longitude
13.73°N	100.57°E	2.5°N	169.83°E

Dip angle: 10°N

Distance from dip equator: 450 km

Equipment:

Instrument: Type C2 (automatic)

PRF: 60 pps

Frequency sweep time: 30 sec

Frequency sweep range: 1 to 25 Mc

Pulse duration: 50 µsec

Peak pulse power: approximately 10 kw.

The cooperation and participation of staff members of the Thailand

Ministry of Defense and the support of the United States Advanced Research

Projects Agency, the United States Army Electronics Laboratories, and the United States Army Radio Propagation Agency made it possible for the data presented in this report to be accumulated.

II TERMINOLOGY AND SYMBOLS

The terminology and symbols used in this data report are in accordance with the conventions established by the World Wide Soundings Committee.

A. TERMINOLOGY

The ordinary wave critical frequency for the Fr and F1 layer and the E region, respectively.	rs
--	----

- foEs The ordinary wave top frequency corresponding to the highest frequency at which a mainly continuous Es trace is observed.
- The blanketing frequency of an Es layer, i.e., the lowest ordinary wave frequency at which the Es layer begins to become transparent. (This is usually determined from the minimum frequency at which reflections from layers at greater heights are observed.)
- fmin The frequency below which no echoes are observed.
- M(3000)F2 The maximum usable frequency factor for a path of 3000 km for transmission by the F2 layer.
- h'F2 The minimum virtual height of the ordinary wave trace for the highest stable stratification in the F region.
- h'F The most significant F-region virtual height parameter, that for the lowest F-region stratification. (Thus h'F is identical with the current h'F2 when F-region stratification is absent, i.e., at night, and with current h'F1 when F1 stratification is present.)

¹W. R. Piggott and K. Rawer, <u>URSI Handbook of Ionogram Interpretation and Reduction of the World Wide Sounding Committee</u> (Elsevier Publishing Company, Amsterdam, London, New York, 1961).

B. DESCRIPTIVE LETTERS

Certain effects observed on ionograms may make it difficult or impossible to obtain accurate numerical values. The descriptive letters listed below, when used alone indicate, in general, the presence of a phenomenon that may have influenced the measurement. Qualifying letters (Sec. C) indicate the nature of the uncertainty.

- A A lower thin layer present, e.g., Es
- B Absorption in the vicinity of fmi.
- C Any non-ionospheric reason
- D The upper limit of the normal frequency range
- E The lower limit of the normal frequency range
- F Spread echoes present
- G Ionization density of the layer too small for measurement
- H Stratification present
- L No sufficiently definite cusp between layers of the trace
- M Ordinary and extraordinary components indistinguishable
- N Conditions such that the measurement cannot be interpreted
- O Measurement referring to the ordinary component
- R Attenuation in the vicinity of a critical frequency
- S Interference or atmospherics
- T Value determined by a sequence of observations, the actual observation being inconsistent or doubtful
- V Forked trace
- W Echo lying outside the height range recorded
- X Measurement referring to the extraordinary component
- Y Intermittent trace
- Z Third magneto-ionic component present.

C. QUALIFYING LETTERS

- D Greater than. . .
- E Less than. . .

- I An interpolated value
- J Ordinary component characteristic deduced from the extraordinary component
- O Extraordinary component characteristic deduced from the ordinary component
- T Value determined by a sequence of observations, the actual observation being inconsistent or doubtful
- U Uncertain numerical value
- Z Measurement deduced from the third magneto-ionic component.

D. DESCRIPTION OF STANDARD TYPES OF Es

The eight standard types of Es are identified by lower-case letters: f, l, c, h, q, r, a, and s. These letters suggest the corresponding names, flat, low, cusp, high, equatorial, retardation, auroral, and slant, respectively, but are not restrictive. The letter n is used to designate an Es trace that does not correspond to one of the eight types. The classifications are:

- An Es trace showing no appreciable increase of height with frequency, usually relatively solid at most latitudes. (This classification may be used only at night; it appears that flat Es traces observed in the daytime are classified according to their virtual height: h or 1.)
- A flat Es trace at or below the normal E-region minimum virtual height in the day or below the E-region minimum virtual height at night.
- c An E_s trace showing a relatively symmetrical cusp at or below fo E. (This is usually continuous with the normal E trace, although when the deviative absorption is large, part or all of the cusp may be missing—usually a daytime type.)
- h An Es trace showing a discontinuity in height with the normal E-region trace at or above fo E and an asymmetrical cusp. (The low-frequency end of the Es trace lies clearly above the high-frequency end of the normal E trace—usually a daytime type.)
- q An Es trace that is diffuse and nonblanketing over a wide frequency range, the spread being most pronounced at the upper edge of the trace. (This type is common in daytime in the vicinity of the magnetic equator.)
- r An Es trace that is nonblanketing over part or all of its frequency range, showing an increase in virtual height at the high-frequency

- end similar to group retardation. (This is distinguished from the usual group retardation—as in the case of an occulting thick E region—by the lack of group retardation in the F traces at corresponding frequencies and the lack of complete blanketing.)
- a An Es pattern having a well-defined flat or gradually rising lower edge with stratified and diffuse (spread) traces present above it. (These sometimes extend over several hundred kilometers of virtual height.)
- s A diffuse E_s trace that rises steadily with frequency, usually emerging from another type of E_s trace. (The rising trace alone is classified as s; the horizontal trace is classified separately. At high latitudes, the slant trace usually starts to rise from a horizontal E_s trace, such as l or f, at frequencies that greatly exceed the E-region critical frequency, e.g., about 6 Mc; whereas at low latitudes it usually rises from equatorial-type E_s, q, c, or h, at frequencies near the regular E critical frequency. Type s is never used to determine f_o E unless echoes clearly identifiable as E_s echoes are seen.)
- n An E trace that cannot be classified as one of the standard types. (This must not be used for intermediate cases between any two classes. A choice should always be made whenever possible, even if it is doubtful.)

E. MULTIPLE REFLECTIONS FROM Es

When the ionogram shows the presence of multiple reflections from Es, the number of traces seen will be recorded with the letter indicating the type.

Characteristic: fmin

IOMOSPHERIC DATA
Sweep: 1 %c to 25 Mc in 0.5 minute

April 1964

Hour Date
Date
2 C O28 030 C 030 038 034 039 040 039 040 E039 040 029 E028S E028S E027S E028S E027S E028S E024S E028S E028
2 C O20 O30 CS O30 O38 O30 C O330 O38 C O330 O38 C O30 O38 C O30 O38 C O39 O40 E039 O40 E028 E027S E027S E027S E028S E027S E028S E027S E028S E027S E028S E028S E030S E030S E030S E031S O30 C028 E031S O30 C028 E031S O30 C028 E031S O30 O29 U30
Second
4 020 017 020 018 B B E017S E027S E027S 029 E028S E030S E039S E029S E028S E030S E039S E029S E028S E030S E039S E030S E039S E028S E030S E038S E030S E038S E030S E038S E038S E030S E038S E038S <t< td=""></t<>
5 E018S E014S 020 022 012 E016S E025S E022S E024S E027S E028S E030S E030S E028S E030S E028S E030S E028S E030S E028S E030S E028S E030S E028S E030S E030S E030S E028S E030S E031S O30 8 E017S 024 022 020 021 021 024 E027S 030 029 E031S 030 029 030 029 030 029 030 029 030 029 030 040 039 040 040 039 049 040 040 031 030 030 030 029 030 E027S 049 040 040 041 040 031 030 030 030 040 041 040 041 040 041 040 041 041 041 041 041 041 041
6
7 E018S D19 E017S D24 D22 D20 D21 D21 D21 D24 E027S E017S E017S E017S E028S D30 D29 E031S E030S D30 D39 D30 D30 D39 D30 D30 D39 D30
8 E017S 024 022 020 021 021 024 E027S 030 029 E031B E030S 040 039 10 022 018 021 020 020 020 021 027 029 034 040 031 030 030 049 040 040 031 030 030 030 E027S 049 040 040 031 030 030 030 E027S 049 040 031 030
9
10 022 018 021 020 020 020 021 027 029 034 040 031 030 030 11 025 020 013 015 014 E022S E022S E026S 030 040 040 031 030 030 12 025 024 018 019 022 B E023S 027 027 030 031 030 030 031 13 020 019 018 019 015 B 021 C <t< td=""></t<>
11 025 020 013 015 014 E022S E022S E026S 030 040 047 052 056 061 12 025 024 018 019 022 B E023S 027 027 030 031 030 030 031 13 020 019 018 019 015 B 021 C
12 025 024 018 019 022 B E023S 027 027 030 031 030 030 031 13 020 019 018 019 015 B E023S 027 027 030 031 030 030 031 14 027 025 020 013 B B 021 C <
13 020 019 018 019 015 B 021 C
14 027 025 020 013 B B 030 029 028 029 030 C
15 C
16 E021S 020 015 019 E016S 019 E021S E025S E030S E030S E030S E030S E028S 035 034 18 F017S E015S 016 015 017 E014S E019S E026S E032S E024S E028S E030S E027S E027S E027S 19 E014S E014S E019S E017S E015S 022 E025S 024 E030S E030S E027S 033 036 20 013 015 016 016 016 017 018 021 E028S E026S E029S E039S E039S E035S E036S
17 E025S E018S E017S E016S E014S E015S E026S E026S E028S E030S E028S E030S E028S E028S E028S E028S E027S E0
18 F017S F015S 016 015 017 F014S F019S 026 024 F028S F028S F030S F027S F027S 19 F014S F014S F019S F017S F015S 022 F025S 024 F030S F030S F030S F037S F035S 20 013 015 016 016 016 017 018 021 F028S F029S F033S F033S F033S
19 E014S E014S E019S E017S E015S 022 E025S 024 E025S E030S E030S 020 E035S E034S E034S E036S E03
20 013 015 016 016 016 017 018 021 E028S E030S E030S 020 E035S E034S
The state of the s
21 021 030 016 019 014 016 021 040 022 023 02
22 018 018 019 016 016 015 010 036 049 039 20398 042 040
23 C C C C C C C C C C C C C C C C C C C
24 E016S 016 014 015 F011S 016 F017G F017G 000
25 016 E013S 020 E014S E015S 018 020 028 033 034 033 032 033
26 C C C C C C C C C C C C C C C C C C C
27 C C C C C C C C C C C C C C C C C C C
28 023 024 020 018 012 021 026 025 022 029 028 029 E0308
29 018 020 023 021 B B 021 024 027 032 030 030 030 031
30 019 025 026 025 024 021 021 032 031 E0328 E0298 032 056
31
Median 018 018 018 018 015 017 021 000 000
Count 25 25 25 25 25 25 25 27 18 25 030 030 030 032 033
10 021 021 022 13 23 24 25 26 27 25 26 26
10 017 018 020 010 021 023 027 030 032 033 040 039
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
QR 4 6 4 4 5 6 7 3 5 3 3 4 10 9

^{*} Tabulation of 018 = 1.8 Mc.

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

80	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
029	030	039	020	040	000										
C	028	039	039 C	040	039	036	035	E023S	E0198	C	С	С	(С	C
0298	031	C		030	038	031	028	E025S	E020S	E019S	E017S	E023S	E017S	E018S	E017S
027S	029	E028S	039	040	E039S	037	028	029	E030S	E018S	E017S	E020S	E018S	E017S	E017S
0245	E027S	E028S	029	030	E029S	030	E024S	E025S	E029S	E024S	E020S	E017S	E017S	E019S	E017S
032	034	032	E030S	E030S	E028S	E025S	E025S	E023S	E0205	E020S	E017S	E017S	E018S	E018S	E020S
025S	E028S	032	E029S	E031S	030	028	E024S	E025S	E025S	E020S	E018S	E020S	E020S	E018S	E017S
030	029	•	029	030	E028S	E026S	E025S	E022S	E029S	E026S	E023S	E025S	E023S	E020S	E022S
024S	029	E031S	E030S	040	039	E040S	033	033	E023S	E026S	E026S	E025S	E023S	E024S	021
029		030	E027S	049	040	E026S	035	E033S	E031S	E026S	E029S	E027S	E029S	E025S	021
030	034	040	031	030	030	027	024	026	E026S	E026S	E026S	E024S	022	E022S	022
027	040	047	052	056	061	048	036	032	031	028	E025S	E026S	026	027	E028S
	030	031	030	030	031	030	028	032	E025S	E025S	E024S	E028S	020	E022S	022
C	C	C	С	С	С	С	050	635	E031S	E026S	E028S	E023S	C	E025S	025
028	029	030	С	С	С	С	С	С	С	С	С	С	C	C	
C	C	С	C	С	С	C	С	С	С	С	С	C	C	C	C
025S	E030S	E030S	E028S	035	034	E025S	031	E026S	E027S	E022S	E025S	E020S	E020S	E025S	E020S
0245	E028S	E028S	E030S	E027S	E027S	029	E029S	E034S	E029S	E026S	E027S	E024S	E019S	E018S	E020S
024	E030S	E030S	E0275	033	036	E024S	024	025	E021S	E020S	E018S	E021S	E020S	E017S	E020S E016S
025S	E030S	E030S	020	E035S	E034S	030	E030S	E926S	E025S	2019S	E022S	E024S	E020S	E0175	E016S
0285	E026S	E029S	E032S	E035S	E025S	031	023	E0258	E028S	E016S	E017S	E020S	020	024	019
36	049	039	E039S	042	040	E037S	036	E037S	E028S	E029S	E025S	E026S	E024S	E026S	
029	E037S	026	029	0278	E027S	С	С	С	С	С	C	C·	C C	C C	024
C	C	040	С	С	С	C.	С	029	E016S	E017S	E015S	E015S	E017S	E020S	C E019S
028	033	034	033	032	033	030	029	030	E020S	E026S	E022S	E017S	¥023S	E025S	021
)22	030	040	031	041	032	041	028	032	E021S	E028S	E025S	E030S	E025S	E025S	
C	С	E0265	040	044	042	055	032	026	030	026	C	C	C C		018
32	032	029	028	029	E030S	059	036	031	028	E025S	EL19S	029	026	C 026	C
27	032	030	030	030	031	E031S	E030S	E030S	E030S	E028S	E022S	026	021	019	030
32	031	E032S	E029S	032	056	055	055	029	025	023	C	023	026		021
30	029	031	035	033	032	E031S	c	С	C	C	E022S	023	E016S	022	026
			-	-	- j	-	-	-	_	_	-	-	F0102	020	021
28	030	030	030	032	033	030	029	027	027	025	022	023			
25	26	27	25	26	26	25	25	25	25	24	24	26	020	021 25	020
30	032	032	033	040	039	037	035	032	029	026					25
25	029	029	029	030	030	027	025	032	029		025	026	023	025	022
5	3	3	4	10	9	10	10	7		020	018	020	018	018	017
						10	10	'	6	6	7	6	5	7	5

Characteristic: foF2

IONOSPHERIC DATA

Sweep: 1 Mc to 25 Mc in 0.5 minute

April 1964

Hou	r 00	01	02	03	04	05	06	07	1 00						
Date					"	03	06	07	08	09	10	11	12	13	П
1	067*	074	070	034	017	S	R	060	000	-					
2	C	C	C	С	C	C	C	C	080	084	076	078	072	073	
3	075	075	045	031	020	A	029	065	C	U0870			068	078	
4	055	049	035	022	В	В	033	063	077	D090S		070	073	083	
5	075	085	061	D056S	041	026	033	068		069	065	A	068	070	
6	074	D075S	J058S	U037S	023	A	038	065	085	085	D072R		076	079	11
7	D086S	D087S	J060S	044	032	J020R	034M	063	D0758		1 0.0	067	070	077	
8	087	D105R	F	A	D032R	A	A	056	072	085	D075S	D075S	068	075	1
9	D046S	051	U041S	028	A	В	033	U056S	074	086	D074R	071	069	072	
10	070	064	044	032	026	A	038		068	067	065	057	065	072	14
11	063	059	D027S	D018A	A	A	038	061 065	071	078	070	071	072	080	
12	064	047	032	023	A	В	045		071	D075R	UO70M	U066M	062	DO7OR	
13	075	F	061	037	026	В	036	065	D072R	078	A	A	063	067	
14	F	059	F	022	В	В	3	C	C	С	C	С	C	С	Ш
15	С	C	С	C	c	A	040	059	D070R	070	060	С	C	C	
16	F	F	F	F	F	U040F	C	C	C	C	C	С	С	C	1
17	D048S	U063S	U051S	023	Ā	A	040	U072C	U062S	U079S	D092R	062	057	U067C	U
18	F	F	F	U061F	047	029	U043S	U078C	065	U068S	060	U058S	065	084	
19	D046S	D040S	045	035	032	029	U042S	067	D065S	U080S	D085R	U075S	071	076	1
20	U063S	U075F	051	032	020	U020S	045	067	083	095	093	055	093	090	1
21	065	090	F	041	035		055	065	082	083	080	D075S	084	070	10
22	U051S	050	037	033	025	030 018	037	081	070	DO70R	070	061	070	U067S	d
23	-	_	_	_	-		045	065	070	066	067	070	075	081	
24	U055S	U051S	U042S	031	028	Ā	-		-	-	079	-	_	_	
25	U041S	D044S	D055S	034	023		037	064	071	069	058	065	063	080	O
26	-	- 1	_	-	-	E020B	042	058	071	078	D087R	085	085	090	O
27		- 1	-	- 1	1		-	-	-		DOSOR	070	072	078	O
28	U045S	F	F	F	F	DO3 OR	-	- 1	088	083	072	070	A	070	O
29	U063S	060	047	A	В		048	081	081	038	090	083	079	094	O
30	047	F	A	A	A	В	036	066	077	DU85R	D096R	086	082	084	O
31	-		_	_	A	Α	048	062	08C	U087S	080	U078C	074	A	0
Median	063	060	040					-			- 1	-	-		
Count	22	062	048	033	026	028	038	065	072	080	075	070	054		
			18	20	15	10	23	24	25	26	26	070 23	071	077	O
UQ	074	075	058	037	032	030	045	067					25	25	1
LQ	048	050	041	025	022	020	036	067	080	085	081	075	076	082	09
QR	26	25	17	12	10	10	9	062	070	070	070	065	067	070	08
*							9	5	10	15	11	10	9	12	

^{*} Tabulation of 067 = 6.7 Mc.

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

08	09	10	111	146			т								
		10	11	12	13	14	15	16	17	18	19	20	21	22	23
080	084	076	078	072	073	082	095	D0888	D0888						
С	U087C	U0810	C	068	078	087	D090S		,		C	С	С	C	C
077	D090S	C	070	073	083	095	D0958			1 - 00.0	_	1		D065S	070
075	069	065	A	068	070	080	087	087	088	1-0000	1			075	065
085	085	D072R	072	076	079	083	087	D089S		U088S				D080S	080
D075S	D075S	075	067	070	077	085	090	D087S			D090S	D088S		083	D078
072	085	D075S	D075S	068	075	085	U090S		1 - 0 - 0 - 0	D085S	D087S	D087S	D087S	D087S	D08
074	086	D074R	071	069	072	083	093	D0928	D085S		D086S	U086S	084	083	083
068	067	065	057	065	072	075	087	U090S	D086S	D090S	D090S	D090S	U077S	066	057
071	078	070	071	072	080	072	087		D085S	D085S	D073S	D085S	D087S	077	074
071	D075R	UO70M	UC66M	062	DO7 OR	079	084	D1 00S	D092S	D094S	D090S	073	D056S	J062S	D052
D072R	078	A	A	063	067	071		086	D095S	D095S	D081R	D082R	079	065	054
C	С	С	C	C	C	C	076	080	092	095	088	074	078	F	F
DO70R	070	060	C	C	C		085	088	D090S	D090S	D092S	080	С	F	F
C	C	С	C	C	C	C	C	С	C	C	C	С	С	C	C
U062S	U079S	D092R	062	057		C	С	C	C	C	C	С	С	F	F
065	U068S	060	U058S	065	U067C	U080R	D082R	D085R	D080S	D085S	U078C	U060S	U0518	D050S	D039
D065S	U080S	D085R	U075S		084	085	084	U095S	D095S	D095S	D097S	094	088	084	F
083	095	093	055	071	076	090	095	D095S	D095S	D0958	D097S	081	D070S	065	U055
082	083	080	D075S	093	090	089	090	080	096	D094S	092	U075F	U070S	060	U060
070	DO7OR	070		084	070	092	098	U100S	093	D095S	D082S	D095S	090	079	
070	066		061	070	U067S	092	085	088	088	090	094	094	085	082	068
-		067	070	075	081	-	-		-		_	-	-		061
071	069	079 058	-		-	-	_	_	D0953	D080S	D1 00S	D095S	U090S	-	-
071	078		065	063	080	080	087	087	092	D102S	D0865	U07 0S		075	061
-	-	D087R	085	085	090	095	D1 00R	100	U110S	D095S	D1 00S	D111S	U073S	U090S	U0565
088	- 4	DOSOR	070	072	078	080	102	098	111	U105S	-	DIIIS	078	D060S	D0525
081	083	072	070	A	070	065	075	081	088	D093S	D1 04S	000			-
	088	090	083	079	094	085	101	092	102	D120S	101	080	U073C	055	045
		D096R	086	082	084	086	086	DO9 OR	D093R	DO9OR	C	099	068	D059S	061
080	U087S	080	U078C	074	Α	082	C	C	C		_	D095R	095	066	054
	-	-	- 1	-	-	-		_	_	С	U085C	070	U065S	F	\mathbf{F}
072	080	075	070	071	0==									-	-
25	26	26	23	_	077	083	087	089	091	090	090	085	078	070	001
		20	43	25	25	25	25	25	26	25	24	25	24	22	061
030	085	081	075	076	082	090	094	095	005						21
070	070	070	065	067	070	080	084	085	095	095	093	094	088	082	072
10	15	11	10	9	12	10	10		088	086	086	074	070	062	054
							10	10	7	9	7	20	18	20	18

Characteristic: M(3000)F2

IONOSPHERIC DATA

Sweep: 1 Mc to 25 Mc in 0.5 minute

April 1964

Observed at:
Bangkok, Thailand
Lat. 13.73 N, Long. 100.57 E
105 E Mean Time (GMT + 7 hours)

13

~														
Hour	00	01	02	03	04	05	06	07	08	09	10	11	12	13
Date														1 10
1	320*	350	400	400	380	S	R	340	340	300	280	270	270	280
2	C	C	C	C	С	С	C	С	C	U280C	U230C	C	270	270
3	330	380	370	350	360	A	350	355	350	S	C	260	270	285
4	330	360	385	380	В	В	340	340	290	260	270	A	270	280
5	340	375	350	S	390	390	340	360	350	290	R	270	270	280
6	320	S	S	U380S	390	A	310	360	С	S	250	270	250	270
7	S	S	S	370	350	R	290M	350	320	280	S	S	270	270
8	340	R	F	A	R	A	A	360	350	315	R	270	270	280
9	S	375	U380S	380	Α	В	305	U340S	340	260	260	280	275	280
10	370	360	370	360	370	A	360	360	330	280	260	265	295	285
11	340	390	S	Α	A	A	365	365	320	R	U250M	U265M	265	R
12	350	390	355	355	A	В	350	305	R	265	Α	A	260	275
13	330	F	385	355	400	В	390	С	С	С	С	С	С	C
14	F	370	F	400	В	В	360	350	R	255	255	C	C	C
15	C	С	С	С	C	A	С	С	С	С	С	C	C	c
16	F	F'	F	F	F	F	345	U350C	U350C	U310S	R	255	270	U280C
17	S	U370S	U4208	390	Α	A	S	U350C	320	U260S	260	U300S	290	275
18	F	F	F	F	390	375	U345S	340	R	U230S	R	U255S	255	270
19	S	S	320	320	330	340	340	325	320	295	255	245	275	285
20	U345S	U370F	380	350	365	U395S	340	330	295	270	270	-	285	270
21	310	355	F	340	350	400	360	360	320	-	260	275	265	U270S
22	U300S	310	330	360	375	290	320	335	265	275	260	260	280	275
23	_	-	-	_	- 1	-		- !	-		265	-		- 1
24	U315S	U460S	U390S	395	375	Α	345	340	350	275	300	280	280	280
25	U295S	S	S	370	385	E350B	370	380	350	310	R	280	R	275
26	-	-	-	-	-	-	- 1	-	-	-	R	325	260	310
27	-			-	-	-	-	-	280	280	225	275	Α	235
28	U290S	F	F	F	F	-	355	355	330	290	250	260	270	285
29	U325S	370	390	A	В	В	350	340	320	R	R	270	280	275
30	295	F -	A -	A	A	A	360	360	330	U300S	260	U260C	265	A
31								-		-	-	-	-	-
Median	328	370	380	370	375	375	347	350	330	280	260	270	270	275
Count	18	15	14	17	14	7	22	24	21	21	18	21	24	24
UQ	340	380	390	385	390	395	360	360	350	297	265	277	277	280
LQ	310	360	355	352	360	340	340	340	320	262	250	260	265	270
QR	30	20	35	33	30	55	20	20	30	35	15	17	12	10
<u> </u>		1							- 50	- 50			1.2	10

Tabulation of 320 = factor of 3.2.

IONOSPHERIC DATA
weep: 1 Mc to 25 Mc in 0.5 minute
April 1964

8							1								
	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
-	300	280	270	270	280	290	320	S	S	-c	C	С	С	C	C
	U280C	U230C	C	270	270	260	S	S	S	s	U290S	s	U290S	s	310
П	S	C	260	270	285	300	S	s	S	s	S	s	325	310	330
Ш	260	270	A	270	280	270	275	290	290	U280S	S	s	315	S	330
	290	R	270	270	280	260	280	s	S	S	S	s	S	330	S
	S	250	270	250	270	280	290	s	S	S	S	s	s	s	s
i.	280	S	S	270	270	280	U300S	s	S	S	S	U295S	310	320	330
U	315	R	270	270	280	290	310	s	s	s	S	S	U360S	340	340
ı	260	260	280	275	280	270	31.0	U320S	s	s	S	s	S	340	340
	280	260	265	295	285	300	305	S	s	s	S	340	S	S	R
	R	U250M	U265M	265	R	295	305	310	S	S	R	R	320	290	315
	265	A	A	260	275	295	R	R	325	365	315	350	305	F	F
٧.	C	С	С	C	С	С	305	320	S	S	S	325	С	F	F
	255	255	C	С	C	c	С	С	С	С	C	C	C '	C	c
	С	С	С	C	C	c	C	C	c	C	C	c	Ċ	F	F
,	U310S	R	255	270	U280C	R	R	R	S	S	U335C	U330S	U330S	s	S
	U260S	260	U300S	290	275	390	290	S	s	S	S	310	310	305	F
	U230S	R	U255S	255	270	280	330	S	S	S	S	310	S	310	U275S
	295	255	245	275	285	285	270	270	295	_	300	U290F	U285S	300	U290S
	270	270	_	285	270	290	300	U300S	300	_	_	_	340	320	300
	-	260	275	265	U270S	290	290	280	290	315	320	230	330	330	320
	275	260	260	280	275		_	-	_	_	_	_	_	_	_
	-	265	_	-	-	_	_	-	8	S	S	S	U350S	400	325
H	275	300	280	280	280	270	300	310	320	S	S	U350S	U350S	U340S	U310S
í	310	R	280	R	275	280	R	310	U320S	S	S	S	320	S	S
П	-	R	325	260	310	285	285	280	300	310	_	_	_	_	_
ı	280	225	275	A	235	275	285	300	310	S	S	340	U310C	310	280
1	290	250	260	270	285	250	245	U290S	S	S	320	300	300	S	300
	R	R	270	280	275	280	305	R	R	R	C	R	355	320	320
1	U300S	260	U260C	265	A	265	C	С	С	С	U315C	305	U320S	F	F
1	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
1	280	260	270	270	275	280	300	300	300	340	315	310	320	320	317
	21	18	21	24	24	24	20	12	9	4	7	13	19	15	16
T	297	265	277	277	280	290	305	310	320	365	320	335	340	340	330
	262	250	260	265	270	270	285	285	292	315	300	300	310	310	310
	35	15	17	12	10	20	20	25	28	50	20	35	30	30	30
┸												1	1		

Characteristic: h'F2

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute

April 1964

	T		7												3
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	1
1	-	-	-	-	_	-	-	-	 -	-	320*	320	320	330	1 4
2	-	-	-	-	-	-	-	-	_		U290s	С	320	310	1 3
3	_	-	-	-	-	-	_	-	-	280	_	320	325	320	4
4	-	_	-	-	-	-	-	-	_	-	U340S	A	E350A	330	13
5	-	-	-	-	-	-	-] -	-	-	320	320	330	310	-3
6	-	-	-	-		-	-	-	-	-	310	340	E3505S		3
7	-	-	-	-	-	-	-	-	-	-	_	340	E330A	340	1 3
8	-	-	-	-	i -	-	-	-	-	_	305	330	350	315	1 3
9	-	-	_	-	-	-		-	_	300	350	350	E350S	320	1
10	-	-	-	-	-	-	-	-	_	_	340	335	320	310	3
11	-	- 1	-	-	-	-	-	-	-	-	350	360	E390B	E350B	3
12	-	-	-	-	-	<u> </u>	-	-	-	E350A	A	A	E370A	E420/.	3
13	-	-	-	-	-	-	- 1	C	C	С	С	С	C	С	
14	-	-	-	-	i -	-	-	_	290	330	E400A	_	350	E330A	E3
15	i -	-	-	-	-	-	_	-	-	340	370	370	365	350	3
16	-	-	-	-	-	-	-	_	-	_	330	360	350	340	
17	-	-	-	-	-		-	-	_		340	3 60	340	340	2
18	-	-	-	-	-	-	-	-	_	_	350	350	330	340	3
19	-	-	-	-	-	-	-	_	-	300	310	320	330	315	3
20	-	-	-	_	-	-	-	-	-	320	320	340	320	330	
21	_	-	-	-	-	-	-	-	210	300	350	350	360	350	3
22	-	-	-] -	-	-	-	-	_		350	350	340	330	1
23	-	-	-	-		-	-	-	-		320	_	_		17
24	-	-	-	-	-	-	-	-	-	330	360	320	330	340	3
25	-	-	-	-	-	-	-	-	. –	-	320	310	320	330	3
26	-	-	-	-	_	-	-	-	- 1		335	340	340	_	3
27 28	-	-	- ,	-	-	-	-	-	-	330	350	350	A	400	4
	-	-	-	-	-	_	-	-	-	290	310	330	330	300	E3
29	-	-	-	-	-	-	-	-	-		310	330	305	310	3
30 31	- 1	-	-	-	-	-	-	-	260	-	320	340	340	_	34
31		-	-	-	-	-	-	-			I	- 1	-	-	
Median	-	-	-		_	_	_		210	310	338	240	225	220	
Count	-	- 1	-	_	_	_	_	_	3	11	26	340	335	330	3
UQ											20	24	27	26	y.
LQ	-	- 1	-	-	-	-	-	-	290	330	350	350	350	340	32
QR		-	-	-	-	-	-	-	260	297	320	320	324	3 15	3 3
Αν		-		_	-	-	-	- 1	30	33	30	30	26	25	

^{*} Tabulation of 320 = 320 km.

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

The State of the state of	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Sans	-	_	320*	320	320	330	310	200								
lon jours	-	+ -	U290s	C	320	310	1	300	-	-		-	-	-	-	-
2000	-	280	-	320	325	320	320	290	-	-	-	-	-	-	_	_
in the later	_	_	U340S	A	E350A		290	-	-	-	-	-	-	-	_	-
1	-	_	320	320	330A	330	320	300	i -	-	-	-	-	-	 -	
Sec.		_	310	340	1	310	300	E290A	-	-	-	_	-	_	l -	_
dutto	_	_	310		E3505S		300	i -	-	} -	-	-	-	_	_	! _
ľ	_		305	340	E330A	340	320	300	-	-] -	-	_	_	_	_]
		300	1	330	350	315	305	295	-	-	-	-		_	_	-
		1	350	350	E350S	320	310	290	1 -	-	-			_	_	-
		-	340	335	320	310	325	295	-	-	_	_		_		1
	T	-	350	360	E390B	E350B	310	280		-	l -	_	l	_		-
	_	E350A	A	A	E370A	E420A	320	E300A	E280A	_	i -	_		_	-	-
Į	C	С	С	C	C	С	C	300	-	-		_			-	-
	290	330	E400A	-	350	E330A	E310A	300	-	_	_	_		-	-	-
	-	340	370	370	365	350	325	315	_	_	_	_	Ji	-	-	-
	-	-	330	360	350	340	300	_	_	ا ـ	_	_] -	-	-	-
17.	-	-	340	360	340	340	290	_	- 1		-		-	- 1	-	-
	-	-	350	350	330	340	330	_	_	_	_	-	- 1	-	-	-
H	- I	300	310	320	330	315	305	_	E300A	250	_	-	-	-	-	-
И		320	320	340	320	330	310	-	-	200		-	-	-	-	-
ı	210	300	350	350	360	350	310	_	_	l <u> </u>	_	-		-	-	- 1
II.	-	-	350	350	340	330		_	_	_	i i	-	-	-	- 1	- 1
ı	-	-	320	-	- 1	_	_	- 1			-	-	-	- 1	-	-
ı	-	330	360	320	330	340	335	285			-	-	-	-	-	-
ı	-	- [320	310	320	330	330	310		_	-	- 1	-	-	-	-
I	-	-	335	340	340	- 7	330	_		-	-	-	- 1	-	-	- [
ı	-	330	350	350	A	400	400	300		-	-	-	-	-	- }	- 1
ı	-	290	310	330	330	300	E340A	I	-	-	-	- 1	-	-	- 1	-
L	-		310	330	305	310	320	320	300	-	-	-	-	-	-	-
L	260	-	320	340	340	-		300	290	-	-	-	-	-	-	-
L	-	_	_	-	-	_	348	- 1	_	-	- 1	-	-	4	_	- 1
t	01.0									_	-	- [- [-	-	-
ı	210	310	338	340	335	330	315	300	-		-					
L	3	11	26	24	27	26	27	18	- 1	_	- 1	_	_	-	-	-
	290	330	350	350	350	340	326	200								
	260	297	320	320	324	315	305	300	- 1	- [- 1	-	-	-	-	-7
	30	33	30	30	26	25	21	290	_	- 1	- 1	-	- j	-	-	-]
-								10			-	-		-	-	- 1

Characteristic: h'F

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute

April 1964

Hour	00	01	03	03	04	05	06	07	08	09	10	11	12	13	T
1	240	220	190	180	230	5	E300A	ENTO	200	200	200	1	244247	1	+
2	C	C	C	C	C	C	C	c	c	200	200	190	190	180	н
3	R2405	200	190	220	240	Ä	£2605	220	220	200	300	C	180	190	п
4	240	220	210	230	B	В	E2505	E2203	E200A	E200A	C	170	E200B	175	41
9	220	210	210	210	190	210	250	210	250	200	200		- A	A	п
6	250	200	200	200	E2308	A	E2506	12208	200	1.0000000000000000000000000000000000000	200	N180A	E250A	A	ш
7	E2305	200	180	200	200	E3309	E390A	E220A	200	E280C	8320V	E170A	200	E200A	Ш
8	E2255	200	200	A	235	A	A	E2205	210	E2004	170	K180A	(A)	A	п
9	235	220	200	215	Λ	B	E2005	E2205	210	270	E200A	E3008	E195B	175	ш
10	200	190	200	220	220	A	230	E220A	E260A	E2004	82005	A.	В	200	N.
1.1	230	200	180	E2304	A	Ä	340	E2185	11 10 to 10	HR15A	A	E195A	E170A	A	m
12	235	200	210	250	Ä	n	230	210	E3108	E3200	В	В	В	В	Н
13	250	220	199	200	200	В	ENSOA	C	E210A	1 2	A	A	A	. 6	П
14	272	215	190	220	В	B	248	210	C	C	C	0	C	C	н
15	C	c	200	200	8250A	Ä	C	C	۸	BEDOA	A	C	В	A	ш
16	320	290	230	200	190	200	225	212	C	190	190	170	E1BOA	E18QA	1
17	290	218	190	210	A	A	220	220	220	ES368	E2204	190	E200B	190	ш
18	300	250	230	210	200	200	250	100	200	E2104	200	E3004	RIBOA	A	П
19	275	250	270	285	265	250	230	220	210	E250A	E3104	E300V	180	E2100	-
20	250	212	200	210	240	200	220	K250A	E25-0A	200	E2304	E200A	A	A	R
21	270	230	200	220	230	200	1427	H210A	E2304	ESCOV	E200A	A	180	E200A	E
22	300	280	240	220	208	260	230	220	2500		200	E2006	200	E2008	
23		-			-		230	K215a	E3104	E2108	E200A	E200A	A	٨	
24	270	250	200	200	220		000	2000	*: ***********************************	-50	200	(#) I			
25	310	270	230	208	215	A	230	220	E2204	A	E210A	A	190	E200A	12
26	-	-	230	-00	12000	E3008	220	210	200	180	220	160	200	A	
27	+	-	8 1	÷ 1	15	•	- 3 H		10.50		200	200	. 8	250	
28	350	310	280	280	900				250		170	210	A	A	
29	240	200	200	[ROSS/6441]	270	260	250	230	E2004		190	E2004		Α.	
30	280	300	A	2	В	В	240	220	205	E210A	190	E3004	E1904	0	
31	-7	-	2 1	^	A	A	250	230	A	E2304	200	190	A	A	
fedian	250	216	200	210	220	-		2000	-	-	-	*	*	118	
ount	25	25	25	23	18	10	240	220	210	200	200	195	190	195	1
UQ	270	250	210	220	238	260	250			22	23	20	36	13	
LQ	235	200	192	220	300	300	11 20 20 20 20 11	220	220	230	210	200	200	200	- 5
QB	44	50	18	20	38	60	230	210	200	200	200	175	180	180	1
	_				377	90	20	10	20	30	10	25	20	20	

^{*} Tabulation of 240 = 240 km.

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

			1		T										
	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
0	200	200	190	190	180	180	180	180	E210A		 	-	 		ļ
	200	200	C	180	190	200	200	E180A	E210A E200A	C	C	С	С	C	C
)	200	C	170	E300B	175	180	170H	180A	E230S	220	260	250	E270S	300	E250S
DA	E200A	200	Α	A	A	200	180	210	E220S	E270S U230S	E250S	220	250	E250S	240
)	200	200	E180A	E250A	A	A	A	E260A	E220S		E250A	240	E210S	200	220
)	E260C	E250A	E170A	200	E200A	180	180	190	E210A E200A	E230A 230	250	220	210	230	250
)	E200A	170	E180A	A	A	180	E200A	190	200A	E230S	E260A	260	E240S	240	230
)	270	E200A	E200S	E 195B	175	E200S	170	195	E210S	E230S	260	E270S	250	E240S	E240S
)	E200A	E200S	Α	В	200	E200A	200	200	E210S		E235S	220	230	230	250
A	E215A	Α	E195A	E170A	A	A	A	E230A	E230A	250 230	250	E220S	E220S	E230S	240
S	E320B	В	В	В	В	В	E210B	210	235	230	230	230	240	250	258
A	A	Α	Α	Α	Α	_	_	_	E220A	230	230	230	240	290	280
	C	C	C	С	С	С	В	200	220A		240	298	305	270	270
	E230A	Α	C	В	Α	A	175	E200A	220	230	250	260	C	U250F	280
	190	190	170	E180A	E180A	E190A	E195A	E200R	215	230	250	250	С	С	C
	E230S	E220A	190	E200B	190	A	190	200	220	230 230	230	240	250	270	310
	E210A	200	E200A	E180A	A	A	E240A	E200B	E210S		220	220	240	290	340
	E250A	E210A	E200A	180	E210B	E190A	200	210	210	240 230	250	250	240	260	300
A	200	E230A	E200A	Α	A	E200A	200	A A	A A	230	240	230	245	250	300
A	E200A	E200A	Α	180	E200A	E200A	E200A	E190A	E210S	230	260	270	270	300	310
	В	200	E200S	200	E200S	190	190	E230S	210		240	220	240	260	270
A	E210S	E200A	E200A	Α	Α	_	_		-	240	230	220	220	215	250
	-	200		_	_	_	/		210	-	-			- 1	-
A	Α	E210A	A	190	E200A	E200A	185	200	210	220 220	225	220	210	240	270
П	180	220	160	200	Α	A	A	250	260	240	200	220	220	230	270
	-	200	200	В	250	В	250	220	220	220	220	218	230	270	280
	- 1	170	210	Α	A	В	200	200	210	- 1	-	-	_	- [-
A	-	190	E200A	Α	A	A	A A		E230A	230	215	220	240	280	350
	E210A	190	E200A	E190A	В	В	В	A	220 220	220	220	240	250	300	270
	E230A	200	190	Α	A	A	c	C		225	C	230	217	230	260
	-	-	-	_		^	_	_	C	С	235	310	240	250	320
_	200	200	105						-				-	-	-
1	200	200	195	190	195	190	195	200	212	230	240	230	240	250	270
4	22	23	20	26	13	14	20	23	27	27	26	25	25	26	26
	230	210	200	200	200	200	200	210	220	230	250	250			
1	200	200	175	180	180	180	180	190	210	229	228	250	249	270	290
	30	10	25	20	20	20	20	20	10	1	22	220	220	230	250
											-22	30	29	40	40
													4		

Characteristic: foFl

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute

April 1964

Observed at:
Bangkok, Thailand
Lat. 13.73°N, Long. 100.57°E
105°E Mean Time (GMT + 7 hours)

																10
	Hour	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14
	1	_	_		_		-	_	 	L	-	045*	6.45	+	 	
	2	-	-	_	-	-	_	_		<u>-</u>	L		045	045	045	045
	3	-	-	_	-	_	_	_	_	L	043	U044L	C	045	045	045
	4	-	-	-	-	_	-	-	_	L	L 043	046	045	045	044	045
	5	_	-	-	-	_	-	I _	L	L			A	A	A	045
	6	-	-	-	-	i -	_			L	L L	045	045	S	A	A
	7	! -	-	-	_	-	-	-	-	L		045	045	S	S	044
	8	_	-	-	_	-	-	-	_	L	L L	L 045	046	A	A	045
	9	-	-	_	-	_	-	_	L	L	043		045	046	045	044
	10	-	-	-	1 -	1 -	1 -	_	L	L	1	044	A	В	045	044
	11	-	-	-	-	_	-	_	L	1	L	A	045	045	A	A
	12	-	-	-	_	-	-	_		L	L	В	В	В	В	В
	13	_	-	-	_	_	_	_	C	C	A C	A	A	A	A	A
	14	-	i -	-	-	_	_	_	L	A	042	C	C	C	C	C
	15	_	-	-	-	_	-	_		- A		A	C	В	A	A
	16	_	-	_	_	_	_	_	L		C	C	C	C	С	C
	17	_	-	_	_	_	_	_	L	L L	L	U050S	042	039	U040C	A
	18	-	-		_	_	_	_	L	L	L	040	U045S	U041S	A	A
	19	-	i -	-	-	_	_		L	L	L	U045S	U041S	040	U042S	045
1	20	-	-	-	-	_	l -		L	L	044	045	030	A	A	045
	21	-	-	-	-	-	_	_		L	045	045	A	042	032	045
1	22	-	-	-	_	_	_	_	A	A	В	047	045	U046S	040	050
1	23	-	-	_	_	_	l _	_	_		L	045	045	A	A	-
	24	-	-	-		_	_		_	-	_	045	L	-	-	- 1
1	25	-	-	i -	-	_	_			L	A	045	A	040	048	045
	26	-	- I	-	_	_	_	-	<u> </u>	L	L	045	045	043	A	A
	27	-	-	-	- 1	_	_		-			045	045	В	L	В
İ	28	-		- 1	-	_	_			L	A	045	043	A	A	В
1	29	-	_	-	- :		_	-		L	A	045	045	A	A	A
l	30	_	l –	-	_	-	_	-	L	T	L	045	048	045	В	В
	31	-] -	_	_	_	-	_	A	L	045	046	Α	A	A
r	Median															- 4
	Count	_	_	_	-	-	-	-	-	-	-	045	045	044	044	045
-				-	-		_			-	-	22	19	13	10	13
	UQ LQ	-	-	-	-	-		_	- 1	-	-	245	045	045	045	045
	QR	-		- 1	-	-	-	-	-	-	-	045	445	040	040	045
L	- Ar		-	-	-	-	-	-	-	- 1	-	0	5	5	5	1 3
	**											-	- ,	~		163

* Tabulation of 045 = 4.5 Mc.

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

	1														
08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
L	L	045*	045	045	045	045	U045L	L	L	 		+		ļ	-
-	L	U044L	C	045	045	045	044	L	L	-	-	-	-	-	-
L	043	C	045	045	044	045	L	L	_	_	-	-	-	-	-
L	L	046	A	A	A	045	U044L	L	L	-	-	-	_	-	-
L	L	045	045	s	A	A	A	L			-	-	-	-	-
L	L	045	045	s	S	044	L	L	L	<u>-</u>	-	<u> </u>	-	-	- 1
L	L	L	046	A	A	045	U043L	L	L	-	<u>-</u>	-	-	_	-
L	L	045	045	046	045	044	U043L	L	L	1 -	-		_	-	- 1
L	043	044	A	В	045	044	043	L	-	-	_	-	-	-	-
L	L	A	045	045	A	A	A	L	L	_	-	-	-	-	-
L	L	В	В	В	В	В	043	L	L	_		1	_	-	-
L	A	A	A	A	A	A	A	A	L] -		-	-	-	-
C	C	C	C	C	С	С	В	L	<u>~</u>			_	-	-	-
A	042	A	С	В	A	A	C	L	L	_		1 -	-	_	-
-	C	С	С	C	С	C	C	L	L	_	_] [-	_	-
L	L	U050S	042	039	U040C	A	L	L	L	i _	_	ļ		• 1	-
L	L	040	U045S	U041S	Α	A	L	L	L	_	_] [_	-	-
L	L	U045S	U041S	040	U042S	045	L	L	L	_	-	[]	<u> </u>	-	- [
L	044	045	030	A	A	045	L	A	A		-	l 🗀 i		-	-
L	045	045	A	042	032	045	L	L	_	_	_		~	-	-
L	В	047	045	U046S	040	050	L	L	L		_	_	_	-	-
A	L	045	045	A	A	_	_	-	-	_	_		_	- 1	-
-	-	045	L	-	_	_	_		L	_	_			-	-
L	A	045	A	040	048	045	042	L	L	_	_		-	-	-
L	L	045	045	043	Α	A	A	Ĺ		_		-	_	-	- 1
	-	045	045	В	L	В	L	L	L	_	_	_ [_	-	-
L	A	045	043	A	A	В	043	L	L	_	_			- 1	-
L	A	045	045	Α	Α	Α	A	Ā	L	_	_	_]		_	- 1
L	L	045	048	045	В	В	В	A	L	_		_	_	-	-
A	Ĭ.	045	046	A	Α	Α	c	c	c	- 1	_	_		-	-
-	~~	- 1	- 1	-	- 1	- 1	- 1	-	_	_ }	_	_		_	- 1
														_	1
-	-	045	045	044	044	045	043	- [-	-	-	-		_	-
-		22	19	13	10	13	9	-	-		-	-	-	-	-
-	**	045	045	045	045	045	044	- 1	- 1	-		_			_
-	- 1	045	445	040	040	044	043	-	-	- 1	- 1	- 1	-	- 1	-
		0	5	5	5	1	1	-	-	- 1	-	-	- 1	_	-

Characteristic: M(3000)F1

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minu

April 1964

Hour Date	00	01	02	03	04	05	06	07	08	09	10	11	12	13
1 2	-	-	-	-	-	-	-	-	L	L	390*	400	410	410
3		-	-	-	-	-	-	-	-	L	L	C	400	400
4		-		-	-	-	-	-	L	400	C	410	410	420
5		1 -	-	-	-	-	i -	_	L	L	390	A	A	A
6	_	1	-	-	-	-	j -	L	L	L	400	410	S	A
7	-	_	-	-	-	-	-	-	L	L	390	400	S	s
8	_		-	-	-	-	-	-	L	L	L	390	A	A
9		i -	-	-	-	-	-	-	L	L	380	380	400	420
10		<u> </u>	-	-	-	-	-	L	L	390	400	A	В	400
11	i I	-	-	-	-	-	-	L	L	L	A	410	430	A
12	-	-		_	-	-	-	L	L	L	В	В	B	
13	-	-	-	-	-	-	-	-	L	A	A	A	A	B
14	_	-] -	-	-	-	-	C	С	C	C	c	C	
	-	-	-	-	-	_	-	L	A	380	A	c	В	C
15	-	-	-	-,	-	-	-	-	_	C	C	C		A
16	-	-	-	-	-	-		L	L	L	บ3958	420	C	C
17	-	- 1	-	-	-	-	-	L	L	L	395	U400S	450	U4000
18	-	-	-	-	-	-	-	L	L	L	U400S		U420S	A
19	-	-	-	-	-	-	_	L	L	390	395	U405S	405	U405S
20	-	**	-	-	-	-	_	L	L	385	395	415	A	A
21	-]	-	_ 1	-	-	-]	_	_	L	B	370	A	420	425
22	-	-	- 1	- 1	_ {	- !	- 1	A	A			390	U395S	410
23	-	-	-	- 1	-	- i	_	_		L	375	380	A	A
24	- 1	- 1	-	- [_	- .	_	L	7	415	-	-	-
25	-	-	- 1		-	_	_	_]		A	390	A	420	400
26	-	-	- 1	- 1	- [_		_	L	L	400	415	430	A
27	-	-	-	- {	- 1	- 1	- 1	_	-		400	435	В	L
28	-	-	- 1	-	- 1	_	-	_	L	A	410	430	A	A
29	-	- [- 1	- 1	_	- 1	_ [L	A	385	410	A	A
30	-	-	_	- 1	_ [_	1	L	L	L	400	360	410	В
31	-	-	- 1	_	_			- 1	A	L	400	420	A	A
Median	- 1								-		-	-	-	
Count	_ = 1	_	_	- 1	_ [-	-	-		390	395	410	410	407
					-				-	5	21	19	13	10
UQ LQ	-	- 1	-	-	-	- 1	-	-	-	390	400	415	425	420
QR	-	-	-	-	-	-	-	- 1		385	390	390	402	420
Au.	- 1	•-	-	-	-	-	-	_	_	5	10	25	23	20

^{*} Tabulation of 390 = factor of 3.9.

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

09	10	11	12	13	14	15	16	17	18	19	20	21	22	2
L	390*	400	410	410	400	U385L	L	L		 _ _		Ì		┼
L	L	C	400	400	395	390	L	L		[-	-	
400	C	410	410	420	390	L	L] _		_	-	1
L	390	Α	A	A	400	U370L	ī	L		-	_	-	-	1
L	400	410	s	A	A	A	L	-		-	i	-	-	
L	390	400	S	S	410	L	L	L	_		_	-	-	1
L	L	390	Α	A	400	U395L	L	L	_		-	_	-	1
L	380	380	400	420	400	U400L	L	L	_			-	-	ı
390	400	Α	В	400	400	390	L	-	i -		-	-	-	
L	A	410	430	A	A	A	L	L	_		-	-	_	l
L	В	В	В	В	В	390	L	L	_	_	_	-	-	1
A	A	A	A	A	A	A	A	L	l <u> </u>	1	-	-	-	
C	C	C	С	C	C	В	L			-	-	-	-	
380	A	С	В	A	A	c	L	L		-	_	-	-	1
C	c	C	C	C	C	C	L	L	1	-	-	-	-	1
L	U395S	420	450	U400C	Ā	L	L	L	-	-	i -	-	-	
L	395	U400S	U420S	A	A	L	L		-	- 1	-	-	-	ĺ
L	U400S	U405S	405	U405S	400	L	L	L	-	-	-	-	-	
390	395	415	A	A	380	L	A	L A	-	-	-	_	-	
385	395	A	420	425	400	L	L		-	-	-	-	-	
В	370	390	U395S	410	420	L		-		-	-	-	-	
L	375	380	A	A	-	_ L	L	L		-	-	-	-	
_	415	-	-	1	_ !	_	-	-	-	-	-	-	-	
A	390	A	420	400	400		-	L	-		-	-	-	
L	400	415	430	400 A		410	L	L	-	-	-	-	-	
-	400	435	B		A	A	L	_	-	-	-	-	-	
Α	410	430	A	L A	В	L	L	L	-	-	-	-	-	
A	385	410	A		В	400	L	L	-	-	-	-	-	
L	400	360	410	A	A	A	A	L	-	-	-	-	-	
L	400	420		В	В	В	A	L	-	-	-	-	-	
-	-	420	A -	A.	A	С	C	C	-	-	- 1	-	-	
							-		-	-			-	
390	395	410	410	407	400	395	-	-	-	_	-	_		
5	21	19	13	10	13	9	-	-	-	-	-	- 1	-	
90	400	415	425	420	400	400	_	_		-				
385	390	390	402	400	398	378	-	-	-	- [-	-	_	
5	10	25	23	20	2	22	_	_			_		_	

Characteristic: foE

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute

April 1964

Hour	00	01	02	03	04	05	T	T .	7						
Date		"-	02	03	04	95	06	07	08	09	10	11	12	13	14
1	\	_	_	 _			-								
2	-	-	-		-	-	-	-	В	A	R	В	В	В	R
3	_	-	-	_	_				-	A	A	C	A	В	
4	-	-	-	-	_	_		-	1 7	В	C	В	В	S	В
5	-		-	-	_	_			A	A	A	A	A	A	A
6	-	- 1	-	_	_	_	_	-	AB	A	A	A	A	A	A
7	-	-	-	_	_	_	l _	-	A	A	A	A	A	A	A
8	-	-	-	-	-	-	_	_	A	A	A	A	A	A	A
9	-	-	-	- 1	- 1	_		s	A	A	A	A	В	В	В
10	-	-	-	i – i	-	_	_	S	В	A	A	A	В	В	A
11	-		-	- [-	-	_	A	A	В	В	A	A	A	A
12	-	-	-	-	-	-	_	_	_	A	A	B	В	В	В
13 14	-) - <u> </u>	_	-	- 1		C	C	C	c	Ĉ	A C	A	A
15	-	_	-	-	-	-	_	_	A	A	A	c	В	C	C
16	- 0	-	- 1	U -		a - I	_	- 1		A	A	A	A	A	A
17	-	_	-	-	-	- 1	-	A	A	S	A	A	В	A B	A
18	I ()		-	- 1	- 10	-	-	A	A	A	A	A	A	A	AA
19	- 9		-	-	- 11	-	-	В	R	A	A	A	В	В	A
20	- 0	_	- 1	- 1	- 10	- 1	-	A	A	A	A	A	A	A	A
21	- 1	_	<u> </u>		- 11	-	-	A	A	A	A	A	A	A	A
22	- 3	_	_ (/)	1 - 1	- 11	- 1	-	- 1	В	В	В	S	В	В	s
23	-	_	_	_		-	- j	A	A	S	A	A	A	A	_
24	_	_	_			-	-	-	-	-	В	-	-	_	- 1
25	-	-			_	_	-	-	A	A	A	A	A	A	A
26	-	- 1	_ {	_	_	-	- 1	- 1	A	A	В	A	В	A	A
27		-	- !	_	_	_	_	- 1		-	A	В	В	В	В
28	-	-	- 1	-	_	=	_		A	A	A	A	A	A	В
29	- [-	- 1	- !	_ !	_	_	A	A	A	A	A	A	A	A
30	-	- 1	-	- 1	-	_	_	_	A	A	A	A	A	В	В
31				- 1	- 1	-	-	- 1	_	A -	A	A -	A -	A	A
Median	-	- 1	_	_											_
Count			-	-		_							-	- 1	-
UQ	-	- 1	-	-	-	_									
LQ	-	-	-	-	-	_	-	_	_		- 1	-	-	-	-
QR		-	- 1	-	-	-	_				-	_ []	-		-
														-	-

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

					_										
08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
В	A	R	В	В	В	R	В	R	A	 - -	 -	-	_	 -	
-	A	A	C	A	В	-	_		A	-	_	_			-
	В	C	В	В	S	В	_	_			_	-			-
A	A	A	A	A	A	A	A	_	s ·		_	_		<u> </u>	-
A	A	A	A	A	A	Α	A	Α	_	1 _			-	-	-
В	A	A	A	A	Α	A	A		_	-		_		-	-
A	A	A	A	A	A	A	A	Α	s	-	_	_	-	-	-
Α	A	Α	A	В	В	В	В	В	S	_	-	_	_	-	-
A	A	A	A	В	В	Α	В	s	_	_		_	_	-	-
В	A	A	A	A	A	A	A	Ā	_	l _	-	-		-	-
A	В	В	В	В	В	В	В	В	В	-	-	-	<u> </u>	-	-
. =	A	Α	A	A	A	A	A	A	A		-	_	-	-	-
C	C	С	C	C	С	С	В	В	s	-	i -		-	-	-
A	A	Α	С	В	Α	A	A	A	A	i _	-	-	_	-	-
_	A	A	A	Α	Α	A	A	В	A		_	_	-	-	-
A	S	A	A	В	В	A	В	A	S	_	-	-	-	-	-
A	A	A	Α	A	Α	A	A	s	S] [] [-	-	-
R	A	A	Α	В	В	A	A	A	A	-			-	-	-
A	A	A	A	Α	Α	A.	A	A	A	_		<u> </u>	-	-	-
A	A	A	Α	Α	A	A	A	A	_	_			-	_	-
В	В	В	s	В	В	S	В	s	S	_	-		-	_	-
A	s	Α	A	A	A	-	_	_	-	_	-	_	-	-	-
-	-	В	-	-	-	_	_	_	A	_	-		-	_	-
A	A	A	Α	Α	Α	A	A	_	_	_	-	_	-	-	-
A	A	В	A	В	A	A	A	A	_	_			-		-
-	-	A	В	В	В	В	A	A	В	_	_	-	-	-	-
A	A	A	Α	A	A	В	В	В	В	_	_	-	-	-	- 1
A	A	A	A	A	A	A	A	A	A		-	_	-	-	-
A	A	A	A	A	В	В	В	A	A		_		-	-	-
A	Α	A	A	A	Ā	A		-	-	_		l 1	-	-	-
	-		-	-		-	-	-	-	_	_	-	-	_	-
- 1	-	-	_	-	-	_	_	_	-	_	_	_			
-	-	-	-	-			-	-	-		_			-	-
-	-	_	-	-	-	-	-	-	- 1		-	-	-	_	_
-	_	-	-	- 1	-	-	-	-	-	- I	-	-	-	-	-
				-				-		-	-	- 1		-	- 1
		11-11-11													

Characteristic: h'E

IONOSPHERIC DATA

Sweep: 1 Mc to 25 Mc in 0.5 minute

April 1964

Observed at:

			,												
Hour	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14
1	-	-	-	-	-	-	-	-	В	A	110*	В	В	В	11
2	-	_	-	-	-	-	-	-	-	A	A	С	A	В	10
3	_	-	-	-	_	-	-	-	100	В	С	В	В	S	В
4	-	_	-	-	-	-	_	-	A	A	A	A	A	A	A
5	-	-	-	-	-	-	-	120	A	A	A	A	A	A	A
6	-	-	-	-	-	(2)	-	-	В	A	A	A	A	A	A
7	-	-	-	-	-	-	-	-	A	A	A	A	A	A	A
8	_	_	-	-	-	-	-	-	A	A	A	A	В	В	В
9	-	_	-	-	-	-	-	S	100	Α	A	A	В	В	A
10	-	_	-	-	-	_	-	S	В	В	В	A	A	A	A
11	-	-	-	-	-	-	-	S	В	В	В	В	В	В	В
12	-	-	-	-	-	-	-	-	-	A	A	A	A	A	A
13	-	_	_	-	-	-		C	С	C	c	C	C	C	C
14	-	-	-	-	-	-	-	_	A	A	A	C	В	A	A
15	-	-	-	-	–	-	_	-	-	Α	A	A	100	A	A B
16	-	-	-	i -	-	-	-	S	S	150	A	A	В	В	A
17	-	-	-	-	-	-	-	A	Α	S	Α	A	A	A	A
18	-	-	-	-	-	-	J -	Б	E170A	- 1	A	A	В	В	A
19	-	-	-	-	-	-	-	A	A	Α	A	A	A	A	A
20	-	-	-	-	-	-	_	A	A	A	A	_	A	A	A
21	-	-		-	-	-	-	-	В	В	В	S	В	В	S
22	-	-		-	-	-	_	A	A	S	A	A	A	A	-
23	-	-	-	-	-	-	-	-	_	_	В	_	-		_
24	-	-	-	-	-	-	-	-	Α	A	A	A	A	A	A
25	-	-	-	-	-	_	_	-	A	A	В	A	В	A	A
26	-	-	-	-	-	-	5-4	-	-	_	A	В	В	В	В
27	-	-	-	-	- 1	-	-	_	A	A	A	A	A	Ā	В
28	-	-	-	-	-	-	-	-	A	A	A	В	A	A	A
29	-	-	-	-		-	-	A	A	A	A	A	A	В	В
30	-	-	-	-	-	-	-	_	A	A	A	A	A	A	A
31		-	-	-	-	-	-	-	-	_		_	_		-
Median	-		-	-	_	_	_	-	_	_	_	_			
Count			-	_			-	_	_	-				_	-
UQ	-	-	-	-	-	-	_	-	_	_		_	_	-	
IQ	-	-	-	-	-	-	-	_		-	- 1	_			-
QR	-	- [-	- 1	-				-	_	-	_			
									1						-

^{*} Tabulation of 110 = 110 km.

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

1															
08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
В	A	1.10*	В	В	В	115	В	100	A		_	-	-		ļ
-	A	A	C	A	В	100	100	100	A		! -	-	-	-	-
100	В	C	В	В	S	В	100	100	^		-	-	-	_	-
Α	A	Α	A	A	Ā	A	A	105	s	_	-	_	_	-	-
Α	A	A	A	A	A	A	A	A		-	-	-	_	-	-
В	A	A	A	A	A	A	Α		_			-	-	-	-
A	A	A	Α	Α	A	A	A	E100B	s		1 -	-	-	-	-
A	A	A	Α	В	В	В	В	В	s	_		-	1 -	-	-
100	Α	A	Α	В	В	A	В	S	-		_	-	-	-	-
В	В	В	Α	A	Α	A	A	A	_] [_	-	_	_
В	В	В	В	В	В	В	В	В	В		-	_	-	_	-
-	A	A	A	A	A	A	A	A	A		1	_	-		-
C	C	С	C	C	С	С	В	В	s		-	-	-	-	-
· A	A	A	C	В	A	A	Ā	A	A	l <u> </u>	1	_	-	-	-
-	A	A	A	100	A	В	A	В	A	-		-	-	-	_
S	150	A	A	В	В	A	В	A	S	-	_	-	_	-	-
Α	S	A	A	A	Α	Α	Ā	s	s	_	_	-	-	-	
170A	-	A	Α	В	В	Α	Λ	A	A	_		i -	-	-] - [
A	A	Α	Α	A	A	A	A	A	A	i _	1 -		-		-
A	A	A	-	Α	Α	Α	A	A	-	_		_	-	-	-
B	В	В	S	В	В	S	В	S	S	_	_		i -	-	-
A	S	A	A	A	A	-	_	i	_	_	_	_	-	-	-
-	-	В	-	-	-		_	_	Α	_	_		-	-	-
A	Α	A	A	Α	Α	Α	A	_	-	_	_		- 1	-	-
A	A	В	A	В	Α	A	A	Α	_	_	_		-	-	-
-	-	A	В	В	В	В	A	A	В	_	_			-	- 1
Α	A	A	Α	Α	A	В	В	В	В	_	_			-	-
A	A	A	В	A	Α	Α	A	A	A	_	_	_	-	-	-
A	A	A	A	A	В	В	В	A	A	_	_	_	-	-	-
A	A	A	A	A	A	A	c	С	C	_	_	_		-	-
-	-	-	-	-		-		-	-	_	-	-	_	- -	-
-	-	-	-	-	-	_		_	_			_			
-	-	-	-	-	-		-	-	-		-		_	_	
-	-	-	-	-	-	-	-	-	-	_	-	-	_		_
-	-	- 1	-	-	-	-	-	-	-	- }	-	- 1	-	- 1	- 1
	-					-	-	-	-	- 1	-	-	-	-	-

Characteristic: fbEs

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute

April 1964

Hour 00 01 02 03 04 05	06 07	08 09	10	11 12	1.0
Date	50 51	00 09	10	11 12	13
1 B S B B S	023* S	В -	G	ВВ	В
	c c	C -		c -	В
3 S S B B B -	- 025	SB	c	ВВ	S
4 B B - B B B	025 -	033 039	037	- 050	048
5 S S B B B -	s -	042 -	-	040 044M	050M
6 S B B B	S S	В -	040	036 -	040
7 S B B B - S	031 029	030 037	035	036 050	050
8 S B B - B -	- s	033 042	-	- B	B
9 B B B B - B	S S	032 036	-	042 B	B
10 B B B B	025 034	043 038	047	041 036M	050
11 B B B 017	023 028	032 B	B	B B	
12 B B B B - B	024 B	035 053	-	- 054	B
13 B B B B B B	030 C	CCC	C		046
14 B B B B B	в м	048 037	051		C
15 C C B B C C	c c	CC	C		C
16 S B B B S B	S V025S	030 110395	_	C C B	C
17 S S S S - -	M U034M	U030M 035			В
18 S S B B 019 016M	025M B	029 040M	1 1		042
19 S S S S B	025M 040M	040 035M			В
20 016M 017M - B B B	026 027	040 037M			050M
21 B B B B 019 B	B B	B B	B		028
22 B B B B B B	022 028	034 S		S B	В
23 - - - - -	- -			041 050M	050M
24 S B B B 020 M	019M 030	031M 044M	В 039М	0407	
25 021M 019M 020M S S B	022 B	031M 044M		046M 040M	043M
26 - - - - -		034 037	040	034 B	046
27 - - - - -	_ _	043M 050		ВВВ	В
28 B B B 021 015 028	030 036	036 046	1 1	033 -	050
29 - 026 025 - B B	B 028			040 036	046
30 B B	044 B		1 :	040 040	В
31	- B	036 038M	044	040 044	
Median 018 019 022 021 019 -	025 028	034 038	040		
Count 2 3 2 1 4 -	15 12	21 18	17	040 044 17 13	047
UQ 021 026 025 000 019 -	030 034	040 042	042	041 050	
IQ 016 017 020 000 015 -					nsn i
QR 5 9 5 0 4 -	023 028	032 037		036 038	050 043

^{*} Tabulation of 023 = 2.3 Mc.

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

1															
in the little	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
		G	-				ļ							1	
STATE OF		-	В	В	В	G	В	031	028	C	C	C	C	C	C
Carlos	В	C	C		В	G	G	029	028	025	028	S	S	-	S
	039	037	В	B	S	В	G	G	S	050	-	-	-	-	025
in with	-	037	0.40	050	048	040	033	-		S	025	025	S	S	S
1		040	040	044W	050M	050	045	042	028	026	020	S	-	_	-
2000	037	040	036	-	040	-	035	030	028	024	029	-	S	-	-
	042	035	036	050	050	-	037	-	S	-	028	S	030	-	-
-	036	-	-	В	В	В	В	В	S	S	S	S	S	S	В
To and the		-	042	В	В	037	В	S	S	-	S	S	S	S	В
C. Line	038	047	041	036M	050	036	046	036	030	S	S	S	В	S	033
A.	В	В	В	В	В	В	В	В	В	В	S	S	027	В	S
1	053	-	-	054	046	052	052	047	034	027M	027	S	024	S	В
	C	C	C	C	С	C	В	В	-	-	S	S	С	-	_
	037	051	C	В	C	C	C	C	C	C	В	C	С	C	С
	C	С	C	С	C	С	C	В	C	В	В	В	В	S	В
	U039S	U045M	036	В	В	031	В	029	S	031	-	s	s	S	s
	035	033	UO 40M	U036S	042	050	039	S	S	S	S	S	S	s	s
	040M	035M	037M	В	В	036	036	031	026M	030M	M	S	s	м	_
	035M	041M	026M	052M	050M	038	033	050	045	021	S	S	S	025M	031M
	037M	040M	042M	040M	028	034	037M	035	S	026M	021M	S	В	В	B
	В	В	S	В	В	S	В	S	s	s	S	S	s	s	В
	S	037	041	050M	050M	-	_	-	-	-	_	-	-	_	
l.	-	В	-	-	-	-	-	_	029	025	S	s	S	s	s
ı	044M	039M	046M	040M	043M	040	032	033	028	U026S	S	030	S	s	021
ı	037	В	034	В	046	045	-	039	040	035	027	В	В	В	B
и	-	040	В	В	В	В	043	036	В	В	_	-		_	-
ı	050	031	033	-	050	E	В	В	В	027	028	В	В	В	В
H	046	035	040	036	046	047	051	050	034	М	032	В	028	034	-
ı	039	041	040	040	В	В	В	033	031	031	C	В	-	В	029
	038M	044	040	044	-	-		-	-	-	В	В	025	В	B
		-		-	- 1	-	-	-	- 1	-	_	-	-	-	-
П	038	040	040	044	047	040	037	035	029	026	028	027	027	028	0.07
	18	17	17	13	14	13	13	15	13	14	10	2	5	2	027
I	042	042	041	050	050	048	045	042	034	031	028	030	029	034	033
	037	035	036	038	043	036	034	031	028	025	025	025	029	025	033
	5	7	5	12	7	12	11	11	6	6	3	5	5	9	12

Characteristic: foEs

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute

April 1964

			γ												
Hour	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14
Date					_	l .	ł	1					12	13	14
1	В	S	В	В	В	S	028*	S	В	034	G	+			
2	C	C	C	С	C	C	C	C	C	034	037	В	В	В	G
3	S	S	В	В	В	026	026	030	s	В	C	C B	037	В	G
4	В	В	-	В	В	В	033	037	040	043	040	090	В	S	В
5	S	S	В	В	В	019	S	031	065	035	037	040	080	075	075
6	S	В	В	В	026	040	S	S	В	036	041	040	049M	053M	065
7	S	В	В	В	014	S	042	045	039	037	035	037	035 065	041	039
8 9	S	В	В	070	В	034	042	S	044	047	045	039		055	040
10	В	В	В	В	030	В	S	s	036	043	037	042	B	B B	В
11	В	В	В	В	025	033	042	041	044M	038	051	046	047M		037
12	В	В	В	027	031	026	026	028	032	В	В	B	B	054 B	036
13	B B	В	В	В	027	В	024	В	037	064	078	079	065	055	B
14	В	В	В	В	028	В	040	C	C	С	С	C	C	C	065 C
15	c	В	В	В	В	В	В	043M	060	042	052	Č	В	C	C
16	s	C	В	В	C	C	C	C	C	C	C	C	c	C	C
17	S	S	В	В	S	В	s	U029S	030	U039S	U049M	036	В	В	031
18	S	S	S	S	027	040	U043M	U060M	U040M	035	034	U055M	U040S	051	072
19	S	S	B	В	019	025M	042M	В	035	050M	052M	043M	В	В	036
20	029M	035M	027	S	S	В	030м	052M	045	042M	055M	036м	065M	058M	038
21	В	В	B	B	В	В	029	036	049	055M	054M	075M	075M	028	034
22	В	В	В	В	050	В	В	В	В	В	В	S	В	В	S
23	-	_	_	<u>-</u>	В	В	022	028	034	S	043	045	073M	075M	
24	S	В	В	В	014	-		-	-	- 1	В	-	-		_
25	035M	035M	045M	S	S S	028M	035M	041	043M	051M	078M	046M	040M	055M	041
26	-	_	-		5	В	022	В	036	038	В	034	В	046	045
27	-	-	_				-	-	-	-	045	В	В	В	В
28	В	В	В	021	015	030	-	-	050м	050	031	033	084	055	В
29	025	040	025	027	B	B	047	036	043	067	060	070	036	046	047
30	В	В	042	030	031	044	В	028	034	039	043	040	040	В	В
31	- [-	-	-	-	-	044	В	036	038м	045	050	044	084	041
Median	029	035	0.00	00=		 				-	-		-	-	-
Count	3	3	026 4	027	027	030	034	037	040	040	045	042	048	055	040
			4	5	13	11	18	15	21	22	22	20	16	15	16
UQ	035	040	045	050	030	040	042	043	044	059					
IQ OD	025	035	025	024	017	026	026	030	035		053	052	069	058	056
QR	10	5	20	6	13	14	16	13	9	037	038	037	040	046	036
								10	7	13	15	15	29	12	20

^{*} Tabulation of 028 = 2.8 Mc.

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
В	034	G	В	В	В	G	В	033	040	C	C	-	ļ <u> </u>		
C	036	037	C	037	В	G	G	029	030	037	_	C	C	C	C
S	В	C	В	В	S	В	G	G	S		037	S	S	037	S
040	043	040	090	080	075	075	037	035	021	065	034	034	037	041	030
065	035	037	040	049M	053M	065	068	067	040	037	027	030	S	S	S
В	036	041	042	035	041	039	037	036	035	037	026	S	020	035	030
039	037	035	037	065	055	040	037	035	S	030	030	029	S	021	023
044	047	045	039	В	В	В	В	B	S		029	S	039	030	035
036	043	037	042	В	В	037	B	S	E	S	S	S	S	S	В
044M	038	051	046	047M	054	036	046	036	S	037	S	S	S	S	В
032	В	В	В	В	B	B	B	036 B	031	S	S	S	В	S	037
J37	064	078	079	065	055	065	062		В	В	S	S	034	В	S
C	c	С	C	C	C	C		047	037	037M	033	S	024	S	В
060	042	052	C	В	C	C	В	В	034	031	S	S	C	037	030
С	С	С	C	c	C	C	C	C	C	C	В	С	C	C	C
030	U039S	U049M	036	В	В	031	C	В	C	В	В	В	В	S	В
U040M	035	034	U055M	U040s	051	072	B	034	S	034	026	S	S	S	S
035	050M	052M	043M	B	B	036	047	S	S	S	S	S	S	S	S
045	042M	055M	036M	065M	058M		043	032	040M	035M	021M	S	S	029M	020
049	055M	054M	075M	075M	038M 028	038	033	051	051	035	S	S	S	085M	070M
В	В	В	S	B	1	034	050M	035	S	026M	025M	S	В	В	В
034	s	043	045	073M	В 075М	s	В	S	S	S	S	S	S	S	В
-	_	В	040	- 073M		-	-	-	_		-	! -	-	-	_
043M	051M	078M	046M	040m	0557	-	-		034	027	S	S	S	S	S
036	038	В	046M		055M	041	032	034	029	U050S	S	035	S	s	032
-	-	045	B	В	046	045	053	039	050	046	034	В	В	В	В
050M	050	031	033	В	В	В	060	046	В	В	-	-	_	- 1	_
043	067	060	033	084	055	В	В	В	В	036	036	В	В	В	В
034	039	043		036	046	047	066	067	057	039м	035	В	031	038	029
036	039 038M	045	040	040	В	В	В	033	029	031	С	В	035	В	029
-			050	044	084	041	-	-	-	- 1	В	В	030	В	В
		-	_				-	~-	- 1	-	_	_	_		_
040	040	045	042	048	055	040	046	035	035	037	020				
21	22	22	20	16	15	16	14	17	15	18	030	030	033	037	030
044	050	053	052							18	13	4	8	9	11
035	037	038		069	058	056	060	046	040	038	034	035	036	039	035
	301	000	037	040	046	036	037	034	030	031	026	029	02	029	029
9	13	15	15	29	12	20	23	12							

Characteristic: h'Es

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

	Hour	00	01	02	03	04	05	06	0.7					-, -		
,	Date					0.	03	08	07	08	09	10	11	12	13	1
	1	В	S	В	В	В	S	1101	S							
	2	C	C	C	C	C	C	C		В	100	G	В	В	В	
	3	S	S	В	В	В	100	100	C	C	100	100	C	100	В	1
	4	В	В	100	В	В	B	-	100	S	В	C	В	В	s	4
Ш	5	s	s	В	В	В	110	090	115	100	100	100	100	100	100	1
4	6	s	В	В	В	110	100	S	120	100	100	100	100	115	110	0
1	7	s	В	В	В	110	s	S	S	В	100	100	100	100	100	1
	8	S	В	В	100	B	100	090	100	100	100	100	100	100	100	1
	9	В	В	В	B	110	B	100	S	100	100	100	100	В	В	
	10	В	В	В	В	115	115	S	S	100	100	100	100	s	В	0
1	11	В	В	В	118	110	110	110	110	110	115	120	095	100	100	0
	12	В	В	В	В	115		115	127	122	В	В	В	В	В	
	13	В	В	В	В	112	В	120	В	095	100	099	095	099	098	o
	14	В	В	В	В	B	В	105	C	C	C	C	C	C	C	
A P	15	C	C	В	В	115	В	В	100	100	100	100	C	В	099	0
	16	s	В	В	В	S	110	С	C	С	098	095	100	100	099	0
	17	s	s	S	S	-	В	S	150	150	140	095	100	В	В	0
	18	s	S	В	В	110	100	100	100	100	113	100	100	095	099	10
	19	S	s	s	s		100	105	В	100	100	100	090	В	В	os
	20	114	100	100	В	S B	В	100	-	100	-	100	100	100	100	10
	21	В	В	В	В		В	098	095	090	100	095	085	090	090	09
Constitution of the last	22	В	В	В	В	105	В	В	В	В	В	В	S	В	В	
	23	_	_		-	В	В	110	110	110	S	095	095	088	090	2
l.	24	S	В	В	В	114	-	_	-	-	-	В	_	-		3
2	25	100	080	115	S	110	110	108	110	110	109	108	110	110	100	10
	26	_	-		-	S	В	120	В	100	100	В	090	В	120	12
ı.	27	-	_	_	_	-		-	~	-	-	090	В	В	В	В
	28	В	В	В	100	100	-	_		110	110	105	100	095	090	B
	29	100	100	100	100	100	100	100	100	100	097	090	090	095	095	09
	30	В	В	100	100	B 100	B	В	110	110	100	100	100	100	В	В
ı	31	- 1		-		100	100	100	В	100	090	098	098	100	099	09
	Modian	100							-	-	-	-	-		~	03
	Median	100	100	100	100	110	100	103	110	100	100	100	100			100
	Count	3	3	5	5	13	11	18	14	21	22	100	100	100	099	09
	UQ	114	000	107	109	114				21	44	23	21	17	17	1
	ľď	100	000	100		114	110	110	115	110	100	100	100	100	100	10
	QR	14	0	7	100	108	100	100	110	100	100	095	095	095	097	09
-					9	6	10	10	5	10	0	5	5	5	3	1
														-	-	-4.

^{*} Characteristic of 110 = 110 km.

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

8	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
В	100	G	В	В	В	G	В	090	090	С	C	C	C	1 0	
C	100	100	C	100	В	G	G	110	090	090	090	s	s	C	C
S	В	C	В	В	S	В	G	G	s	080	080	110	100	120	S
00	100	100	100	100	100	100	090	100	100	s	090	090	S	105	090
00	100	100	100	115	110	090	090	100	090	090	090	s	120	100	S
B 00	100	100	100	100	100	100	090	100	100	090	090	080	S	130	100 120
00	100	100	100	100	100	100	095	090	S	100	090	s	100	100	
00	100	100	100	В	В	В	В	В	s	s	S	S	s		090
00	100	100	100	S	В	090	В	s	S	100	S	S	S	S	В
10	115	120	095	100	100	090	090	090	090	S	s	s	В	S	В
22	В	В	В	В	В	В	В	В	В	В	S	s	100	S	098
95	100	099	095	099	098	098	098	095	080	090	090	S	125	В	S
C	C	С	c ·	С	С	C	В	В	120	110	s	S		S	В
00	100	100	С	В	099	090	090	090	090	090	В	090	C	115	118
c i	098	095	100	100	099	099	099	В	090	В	В	B	C	C	C
50	140	095	100	В	В	092	В	095	S	095	090	s	В	S	В
00	113	100	100	095	099	100	100	S	s	S	S	S	S	S	S
00	100	100	090	В	В	090	090	090	090	080	090		S	S	S
00	-	100	100	100	100	100	110	098	099	090	S	S	S	130	100
90	100	095	085	090	090	090	090	088	S	090	090	S S	S	120	110
3	В	В	S	В	В	S	В	s	S	S	S	S	В	В	В
LO	s	095	095	088	090	-	-	_	-	-	_	8	S	S	В
-	-	В	_	_	_	_	_	l _	118	100	s	_		-	-
LO	109	108	110	110	100	100	100	110	100	130	S	S 080	S	S	S
00 .	100	В	090	В	120	120	100	118	090	100	090		S	S	_
-	-	090	В	В	В	В	100	100	B	B	-	В	B -	В	В
LO	110	105	100	095	090	В	В	В	В	090	090	В		_	-
00	097	090	090	095	095	090	080	080	080	100	080	В	B	B	В
LO	100	100	100	100	В	В	В	100	090	090	C		112	118	145
00	090	098	098	100	099	090	C	C	C	C	В	В	118	В	100
		-	-	-	-	-	-	_	-	-	- -	B -	060	B -	B -
00	100	100	100	100	099	095	092	097	090	090	090	090	106	118	165
21	22	23	21	17	17	18	16	18	17	19	13	5	8	9	10.5
LO	100	100	100	100	100	100	100	.100	100	100	090	095	119	125	118
00	100	095	095	095	097	090	090	090	090	090	090	080	100	102	100
0	0	5	5	5	3	10	10	10	10	10	0	15	19	23	18

Characteristic: Type of Es

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minut

April 1964

Date	00	01	02	.03	04	05	06	07	06	09	10	11	12	13
1	le.		-	-	-	-	f		1	5.0		-	-	
2		1.50	-		-	-			1 2	1	1	-		-
3	-				13	t	t	2.0				10.5		-
5	-	1.77	1	-	- 23	- 5	ı	1	ı	1 5	57.1	1.5	- 5	
5		-0	1 2 1	-	-	1		c	1	E	4	12	1	A
6	-	-	9	-	£	f2	- 3			1		1	a.f	c.f
7	0.00	32	-	-		100	£4		7	1	1		1	· E
8			-	12	-	24	£3		- 6	4	4	1	. 4	1
9	0.00	-	-		£		100000000000000000000000000000000000000	f	. 4	£	1	- 1	4	
10	2.40	#	2	23	r	ī	7	12	C	Z		1	196	
11	-		-	t	t2		1	o	G	ď	c	1	1	
12	-	-	9	- 3	1	f	1	C	e	7		-	-	
13	-	D € D	1 2 1		1	- 1	9	-		4	I.	L	- 1	1
14		- 1		32		3	ž.	- 5		-	-	7.0		-
1.5	-	1		21150	1.5	- 3	- 1		· E			7.00		
16	-	- 1	-	•		1	· ·			- 4		4	c	1
17	-	1 2 1	72	85	-	- 57	3	h	h	h	L	1	- <u> </u>	- 2
18	- 1	2 1	525	2.0	£2	£4		2	4	· c	1		4	
19	2+		-	155	f	1	r l		1	1	1	. 1	-	-
20	12	12	7		-	-	£	12			E		12	62
21		100	f	•	72.7	ii a ii	£ .	1	12	12	I I	12	1	1
22	249	J.		•	13	-	7	-	-	-		23		- 5
23	- 1	- 2			-	- 5	£	390	-0	- 2	4	1	42	62
24	- 1		0.0		·	*	-	-	1 S 1	-	7/27		-	-
25	-	-	-	·	t	f	1	f	c	a:	G.	•	e i	ī
26	f	f	f	7.7	-	-	£		1	1		4	2	
27	*	*	-	- :	1	= 1	72	-			1	20	3	a -
28	3		-	-	-	100		•	e	0	e		62	ī
29	: 1	- 22	* 1	ž į	f	f	f	r	ĩ	12	ı	i	1	
	f	1	f	f				e	1	4	4	2		
30	-	-	£	t	£	f	f	2.0	î	i	i	î	4	
31	12	*	(2)	-	-		- 1		1	2	- 1	- 1	4	13
ledian	-	-	- W	-			-	-				-7	-	-
ount	-	-11	§	-	-	-	S .			-	-	*	- 5	-
, nd	-	-	-	-	-	-	-	_	_	_				15
1Q		-	2 1	2 I				-	-	-	-	-	-	
QR	-	-	-	-			201	*	- 3		5		-	-
	_			16		-	-	-	-	-	-	-	- 1	

IONOSPHERIC DATA
Sweep: 1 Mc to 25 Mc in 0.5 minute
April 1964

	09	10	11	12	13	14	15	16	17	18	19	20	21	1 00	_
		-										20	21	22	1
	- L	- L		- L	-	-	-	L	£.	-	-	+		 _ _	+-
					-	-	-	C	l	f	f2	_	-	f2	1
	L	l	£2	e e		<u> </u>	-	-	-	f2	f2	f	f	f	
	l	l	l 2	cl	l	· L	l	С	c	-	f	f		1 1	1
	l	l	l ~	l ez	cl	lc	lc	cl2	l	f	f	-	f	£3	1
	l	l	ı.	l &	l l	l	l	L	l	f	f	f	_	f	1
	L	l	l ~			l	l	l	c	f	f	_	f2	f	1
	l	l	l	_	-		-	-	-	-	-	_	_	_	/ 1
	C	c	l	l	l	l l	-	-	-	f	-	-	1 -	_	1
	-	_	_		-	L	<i>l</i> 2	Ł	l	-	-	_		_	
1	l	l	l	l	l	· ·	-	-	-	-		-	f	l -	
-[-	_				z	-2	l	l	f	f	-	f	_	1
1	l	Ł	_	-	l	l	_	_	С	f	-	f	-	f	ł
	l	l	l	С	l e	1	l 2	l	l	f2	f	f	-		1
1	h	l	l	_	_ ~	e l	l	_	l	-	-	_	-	_	
ı	С	l	l	l	l	e e		l		f	f	-		- 1	j
1	l	l	L	_		l l	l l	-	_	-	7=	-	_		
1	l	l	l	£2	£2	c	, ,	ℓh	ℓc	f	f	-	-	f	
1	£2	l	l2	l	l	l	c l	l2	l3	f	-	-	-	f2	f
ı	- 1	-	- :	_			_	l		f	2	-	-	-	_
ŀ	-	L	l	<i>l</i> 2	<i>l</i> 2	_	_		_	-	-	-	-	_]	
L	- [-	-	-	_	_	_	_	- 1	-	-	-	- 1	-	
ı	С	С	С	С	l	l	С	- L	C	l	-	-	-	-	
	L	-	l	_	С	c	cl	ć	l	f	-	f	-	-	:
	-	l	-	-	_	_	ê l	l l	f -	f	£	-	-	- !	
L	C	С	L	£2	l	-	_	~	- 1		-	-	- 1	- (
	£2	l	L	l	l	l	l	<i>l</i> 2	l3	f	f	-	-	-	
ı	l l	l	l	l	-	- 1	-	l	l l	f f2	f	-	f	f	1
1	l -	l	l	l	l3	l	- 1	_		-	-	-	f	- 1	1
-		-				-	-	- 1	-	_	_		f -	-	-
	-	_	-	-	- 1	-	-	-	-						
-							-		-	-	-	-		-	_
	-	-	-	-	-	- 1	-	-	-	-	-	-			
i	-	- 1	-	- 1	-	_ [- 1	-]	- 1	- 1	-	-	-	_
_								- 1	- :	- 1	- 1	- 1	- 1	- 1	_

MEDIAN VALUES APRIL 1964

h'Es (km)	- 100 100 100 100 100 100 100 100 92 92 92 93 90 90 90 90	105
foEs (Mc)	- ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	3.0
fbEs (Mc)		ı
h'E**		ı
f o E *		1
M(3000)F1	3.90 3.95 3.95 4.10 4.00 3.95	1
foF1 (Mc)	1	ı
h'F (km)	250 216 200 210 220 220 220 220 200 200 195 195 196 195 200 212 230 240 240 240 250	270
h'F2 (km)	338 338 330 330 312 300 300	•
M(3000)F2	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3.17
foF2 (Mc)	8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8	
fmin (Mc)	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2.0
Hour Local	00 02 03 05 06 07 07 11 11 12 13 14 13 14 17 18 17 18 18 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	23

* Insufficient data for reliable median.

IONOSPHERIC DATA MONTHLY MEDIAN CHARACTERISTICS BANGKOK, THAILAND APRIL 1964




FIG. 1 SUMMARY GRAPHS

STANFORD RESEARCH INSTITUTE

MENLO PARK CALIFORNIA

Regional Offices and Laboratories

Southern California Laboratories 820 Mission Street South Pasadena, California 91031

Washington Office 808–17th Street, N.W. Washington, D.C. 20006

New York Office 270 Park Avenue, Room 1770 New York, New York 10017

Detroit Office 1025 East Maple Road Birmingham, Michigan 48011

European Office Pelikanstrasse 37 Zurich 1, Switzerland

Japan Office
Nomura Security Building, 6th Floor
1–1 Nihonbashidori, Chuo-ku
Tokyo, Japan

Retained Representatives

Toronto, Ontario, Canada Cyril A. Ing 67 Yonge Street, Room 710 Toronto 1, Ontario, Canada

Milan, Italy Lorenzo Franceschini Via Macedonio Melioni, 49 Milan, Italy